

AFCTN Test Report 94-142

AFCTB-ID 94-089



TMSS Parsing Test

MIL-M-9977J, Appendix H, Integrated Combat Turnaround Procedures Checklist

Document Type Definition

MAXIMA Corporation

DISA Contract #DCA100-93-D-0065

Quick Short Test Report


24 June 1994



Prepared for Electronic Systems Center Air Force CALS Program Office HQ ESC/AV-2 4027 Colonel Glenn Hwy Suite 300 Dayton OH 45431-1672

19960606 095

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

TMSS Parsing Test
MIL-M-9977J, Appendix H,
Integrated Combat Turnaround Procedures Checklist
Document Type Definition
For:
MAXIMA Corporation
DISA Contract #DCA100-93-D-0065

Quick Short Test Report

24 June 1994

Prepared By

Air Force CALS Test Bed Wright-Patterson AFB, OH 45433

AFCTB Contact

Gary Lammers (513) 427-2295

AFCTN Contact

Mel Lammers (513) 427-2295

DISCLAIMER

This document was prepared as an account of the work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCTN).

Air Force CALS Test Bed

Notification of Test Results

24 June 1994

This notice documents the results of an Air Force CALS Test Bed (AFCTB) Quick Short Test Report (QSTR) evaluation of data submitted by:

MAXIMA Corporation

Identified as follows:

Title:

MIL-M-9977J, Appendix H, Integrated Combat

Turnaround Procedures Checklist, DTD Parsing Test

Program:

DISA

Program Office:

DISA

Contract No.:

DCA100-93-D-0065

QSTR No.:

AFCTB-ID 94-089

Received on the following media:

3.5" Diskette

The results of the QSTR evaluation are as follows:

MIL-STD-1840A Media Format:

N/A

MIL-D-28000A IGES:

N/A

MIL-M-28001B SGML:

Pass

MIL-R-28002A Raster:

N/A

MIL-D-28003 CGM:

N/A

Formal results with associated disclaimer are documented and available from the AFCTB.

Air Force CALS Test Bed HQ ESC/AV-2P Colonel Glenn Highway, Suite

4027 Colonel Glenn Highway, Suite 300 Dayton, OH 45431-1672

Phone: 513-257-3085

FAX: 513-257-5881

Contents

1.	Intro	duction1
	1.1.	Background1
	1.2.	Purpose2
2.	Test :	Parameters3
3.	1840A	Analysis4
	3.1.	External Packaging4
4.	SGML .	Analysis4
	4.1.	Exoterica Validator5
	4.2.	Exoterica XGML Normalizer6
	4.3.	Public Domain sgmls6
	4.4.	Sema Mark-it6
5.	Concl	usions and Recommendations7
6.	Appen	dix A - Detailed SGML Analysis8
	6.1.	Exoterica Validator8
	6.2.	Public Domain sgmls Log10
	6.3.	Sema Mark-it Parser Log12
	6.4.	D977JH0.ORG13

1. Introduction

1.1 Background

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-cycle Support (CALS) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALS standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards; formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, to increase the base of participation in the CALS initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develop increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

1.2 Purpose

The purpose of this informal test is to analyze Air Force Document Type Definitions (DTDs) for Standard Generalized Markup Language (SGML) syntax, using several commercial and public domain SGML parsers, prior to placing them in the Defense Information Systems Agency (DISA) Asset Source for Software Engineering Technology (ASSET) repository.

2. Test Parameters

Test Plan:

AFCTB 94-089

Date of

Evaluation:

24 June 1994

Evaluator:

George Elwood

Air Force CALS Test Bed DET 2 HQ ESC/AV-2P 4027 Colonel Glenn Hwy

Suite 300

Dayton OH 45431-1672

Data

Originator:

Kay Hill

MAXIMA Corporation 2372 Lakeview Drive Beavercreek OH 45431

(513) 427-5888

Data

Description:

Technical Manual Test

1 DTD

Data

Source System:

Text/SGML

SOFTWARE

Unknown

Evaluation Tools Used:

MIL-M-28001 (SGML)

PC 486/50

Exoterica XGMLNormalizer v1.2e3.2 Exoterica Validator v2.2 ex1 McAfee & McAdam Sema Mark-it v2.3

Public Domain sgmls 1.1

Standards Tested:

MIL-M-28001B

3. 1840A Analysis

3.1 External Packaging

The 3.5" diskette was hand delivered to the Air Force CALS Test Bed (AFCTB). It was not enclosed in any type of container.

The files received by the AFCTB were not MIL-STD-1840A files. The files were not named per the standard conventions, as the stated purpose of the evaluation was the basic data structure.

4. SGML Analysis

The AFCTB has several parsers available for evaluating submitted DTD and text files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. These products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings unless specified in the report.

The goal was to configure the DTD under analysis as it would normally be used. However, for this analysis it was necessary to modify the DTD adding the "DOCTYPE doc [" statement to the start and the companion "]>" to the end of the DTD under evaluation, as stated in the comments of the DTD. If the parser did not support a formal file pointing to the location of the ISO character sets, this was added.

The DTD under evaluation MIL-M-9977J, Appendix H Integrated Combat Turnaround Procedures Checklist, called a sequence of companion DTDs, each in turn, as illustrated by the diagram below. These DTDs were delivered on the same diskette as the DTD to be evaluated. The DTDs were not changed except to point to the succeeding DTD in the sequence and to insert the location of the ISO character set files in the D784CBO.A3 DTD.

MIL-M-9977J Integrated Combat Turnaround Procedures Checklist DTD

D977JH0.ORG ---> D096EF0.A2 ----> D784CB0.A3

The following notes apply to the parsing analysis as indicated in the ensuing paragraphs.

- Note 1. Entity parameters defined more than once is a vaild SGML construct. The duplicate definition errors and/or warnings in this analysis do not indicate any problems.
- Note 2. Some of the parsers report mixed content model warnings.

 The use of such content models is normally unnecessary and therefore not normally recommended. Record boundaries within elements of associated instances may be misinterpreted where a mixed content model exists in the DTD.
- Note 3. The occurrences of warnings "references defined, but not used," appeared because portions of the called DTD, i.e., MIL-M38784C, were not used. They were not used because the entity definitions of the DTD under analysis altered the execution path in the called DTD. The warnings in this analysis do not indicate any problems.

4.1 Exoterica Validator

The DTD file was evaluated using the Exoterica Validator exl parser. The basic DTD was modified by placing the concrete syntax file and "<!DOCTYPE doc [" at the start and the "]>" at the end. No errors were reported by the parser.

The parser reported 44 total warnings of two types. The first type warning was for a parameter entity declared more than once. See Note 1 above.

<!-- **Warning** in "c:\ws\096e.org" (entity "%m5096cl"), line 31,
 used in "\xgml\9489.dtd", line 111:
 A parameter entity name has been declared more than once.
 The entity is "%frnt".
 <!ENTITY % frnt "(idinfo, lep, verstat?, contents, illuslist?,
 tablelist?,</pre>

-->

The second type warning relates to elements defined but not used in any content model. See Note 3 above.

<!-- **Warning** in "\xgml\9489.dtd", line 325:
An element is not allowed in the document instance because it does not appear in any accessible content model or it is completely excluded.
The element is "ADDRESS".

4.2 Exoterica XGML Normalizer

The DTD file was parsed using the Exoterica XGMLNormalizer parser. The concrete syntax and "<!DOCTYPE doc [" were added to the start and "]>" to the end of the file. No errors or warnings were issued by this utility.

4.3 Public Domain sgmls

The DTD file was evaluated using the Public Domain sgmls v1.1 parser. The file was modified by adding the "<!DOC-TYPE doc [" to the start and "]>" to the end of the file as stated in the comments in the DTD. File D784CB0.A3 location was inserted into the DTD. No errors were reported by the parser.

The parser reported 14 total warnings of the same type. This warning was for duplicate definitions. See Note 1 above.

sgmls: In file included at \ws\9489.dtd, line 39:
Warning at c:\ws\096e.org, line 32 in declaration parameter 4:
Duplicate specification occurred for "%frnt"; duplicate ignored

4.4 Sema Mark-it

The DTD file was evaluated using McAfee & McAdam's Sema Mark-it v2.3 parser. The file was modified by adding the concrete syntax and "<!DOCTYPE doc [" to the start and "]>" to the end of the file. The parser reported no errors or warnings for the file.

5. Conclusions and Recommendations

The file D977JH0.ORG, MIL-M-9977J, Appendix H, integrated Combat Turnaround Procedures Checklist, conforms to the SGML syntax of ISO Standard 8879, as required by the CALS MIL-M-28001B specification.

The errors, warnings, and comments reported by the parsers used in this evaluation do not indicate invalid SGML syntax.

Recommend the DTD be changed to eliminate the mixed content model. If this is not possible, users should be alerted to the potential problems that may occur in the application of the DTD, and proper guidance should be provided users to avoid the potential problems in the use of this DTD.

6. Appendix A - Detailed SGML Analysis

6.1 Exoterica Validator

```
<!-- **Warning** in "c:\ws\096e.org" (entity "%m5096cl"), line 31,
     used in "\xgml\9489.dtd", line 111:
   A parameter entity name has been declared more than once.
   The entity is "%frnt".
   <!ENTITY % frnt "(idinfo, lep, verstat?, contents, illuslist?, tablelist?,
   The entity is "%bodyele".
<!-- **Warning** in "i:\dtd\784c.dtd" (entity "%m38784c"), line 37,
     used in "c:\ws\096e.org" (entity "%m5096cl"), line 80,
     used in "\xgml\9489.dtd", line 111:
   A parameter entity name has been declared more than once.
   The entity is "%shortitleuse".
   <!ENTITY % shortitleuse "IGNORE" >
   The entity is "%shortitle".
   The entity is "%frnt".
   The entity is "%step1con".
   The entity is "%step2con".
   The entity is "%step3con".
   The entity is "%step4con".
   The entity is "%step5con".
   The entity is "%step6con".
   The entity is "%step7con".
   The entity is "%bodyele".
   The entity is "%chap".
--> <!-- **Warning** in "\xgml\9489.dtd", line 325:
   An element is not allowed in the document instance because it does not
   appear in any accessible content model or it is completely excluded.
   The element is "ADDRESS".
   The element is "APPENDIX".
   The element is "CHAPTER".
   The element is "CHGINSSHT".
   The element is "CHGLIST".
   The element is "CHGREC".
   The element is "DDCHAPTER".
   The element is "DDDESC".
```

```
The element is "DDINDEX".
     The element is "DDINTRO".
     The element is "DDLIST".
     The element is "DDSHEET".
     The element is "DOC".
    The element is "DOCCL".
    The element is "DOCPART".
    The element is "FOLDSECT".
    The element is "GLOSSARY".
    The element is "ILLUSLIST".
    The element is "INDEX".
    The element is "INSERTPG".
    The element is "INTRO".
    The element is "PGNO".
    The element is "PREFACE".
    The element is "REAR".
    The element is "REMOVEPG".
    The element is "SECTION".
    The element is "SHORTTITLE".
    The element is "TABLELIST".
    The element is "VOLUME".
    The element is "WARNPAGE".
 -->
<!-- Capacity points/limits:
       TOTALCAP =137663/200000
       ENTCAP =12832/200000
      ENTCHCAP =13395/70000
      ELEMCAP =5568/70000
      GRPCAP =32992/70000
      EXGRPCAP =864/70000
      EXNMCAP =1600/70000
      ATTCAP =49184/200000
      ATTCHCAP =1257/70000
      AVGRPCAP =19712/70000
      NOTCAP
              =96/70000
      NOTCHCAP =163/70000
      IDCAP
              =0/70000
      IDREFCAP =0/70000
      MAPCAP =0/70000
      LKSETCAP =0/70000
      LKNMCAP =0/70000
-->
<!-- 0 errors and 44 warnings reported. -->
```

6.2 Public Domain sgmls Log

```
sgmls: In file included at \ws\9489.dtd, line 39:
       Warning at c:\ws\096e.org, line 32 in declaration parameter 4:
       Duplicate specification occurred for "%frnt"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       Warning at c:\ws\096e.org, line 46 in declaration parameter 4:
       Duplicate specification occurred for "%bodyele"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 37 in declaration parameter 4:
       Duplicate specification occurred for "%shortitleuse"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 45 in declaration parameter 4:
       Duplicate specification occurred for "%shortitle"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 109 in declaration parameter 4:
       Duplicate specification occurred for "%frnt"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 139 in declaration parameter 4:
       Duplicate specification occurred for "%steplcon"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 142 in declaration parameter 4:
       Duplicate specification occurred for "%step2con"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
      Warning at i:\dtd\784c.dtd, line 145 in declaration parameter 4:
       Duplicate specification occurred for "%step3con"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 148 in declaration parameter 4:
       Duplicate specification occurred for "%step4con"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 151 in declaration parameter 4:
       Duplicate specification occurred for "%step5con"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 154 in declaration parameter 4:
       Duplicate specification occurred for "%step6con"; duplicate ignored
sgmls: In file included at \ws\9489.dtd, line 39:
       In file included at c:\ws\096e.org, line 80:
       Warning at i:\dtd\784c.dtd, line 156 in declaration parameter 4:
```

Duplicate specification occurred for "%step7con"; duplicate ignored sgmls: In file included at \ws\9489.dtd, line 39:
 In file included at c:\ws\096e.org, line 80:
 Warning at i:\dtd\784c.dtd, line 165 in declaration parameter 4:
 Duplicate specification occurred for "%bodyele"; duplicate ignored sgmls: In file included at \ws\9489.dtd, line 39:
 In file included at c:\ws\096e.org, line 80:
 Warning at i:\dtd\784c.dtd, line 186 in declaration parameter 4:
 Duplicate specification occurred for "%chap"; duplicate ignored

TOTALCAP 135637 **ENTCAP 12832** ENTCHCAP 11337 ELEMCAP 5568 **GRPCAP 32992** EXGRPCAP 896 EXNMCAP 1600 **ATTCAP 49184** ATTCHCAP 1257 AVGRPCAP 19712 NOTCAP 96 NOTCHCAP 163 IDCAP 0 IDREFCAP 0 MAPCAP 0 LKSETCAP 0 LKNMCAP 0

6.3 Sema Mark-it Parser Log

```
ATTCNT --100-- 48
ATTSPLEN --960-- 0
BSEQLEN --960-- 0
DTAGLEN --16-- 0
DTEMPLEN --16-- 0
ENTLVL --16-- 3
GRPCNT --32-- 22
GRPGTCNT --96-- 27
GRPLVL --16-- 5
LITLEN --3048-- 747
NAMELEN --32-- 13
NORMSEP --2-- 0
PILEN --240-- 0
TAGLEN --960-- 0
TAGLVL --24-- 0
MSDLVL --24-- 1
TOTALCAP --200000-- 143946
ENTCAP --200000-- 16064
ENTCHCAP --70000-- 11425
ELEMCAP --70000-- 5568
GRPCAP --70000-- 37984
EXGRPCAP --70000-- 896
EXNMCAP --70000-- 1600
ATTCAP --200000-- 49184
ATTCHCAP --70000-- 1257
AVGRPCAP --70000-- 19712
NOTCAP --70000-- 96
NOTCHCAP --70000-- 160
IDCAP --70000-- 0
IDREFCAP --70000-- 0
MAPCAP --70000-- 0
LKSETCAP --70000-- 0
LKNMCAP --70000-- 0
```

6.4 D977.JH0.ORG

```
<!-- SUPPLEMENT NOTICE: This file is made available to provide the user with
a digital representation of the DTD found in Appendix D of MIL-M-5096E.
This file is incomplete without MIL-M-5096E. -->
<!-- NOTE: The start and end of this file are marked with a row of asterisks.
If these rows are not present the file may not be complete! -->
<!-- MIL-M-9977J Integrated Combat Turnaround Procedures Checklist DTD -->
<!-- The following set of declarations may be referred to by
using a public entity as follows:
<!ENTITY % micturncl PUBLIC "-//USA-DOD//DTD MIL-M-9977J
ICTCL//EN" >
%micturncl; -->
<!-- NOTE: In order to parse the following DTD subset alone,
append the following statement to the beginning of the file:
    <!DOCTYPE docicturncl [
and the associated "]>" to the end of the file. -->
<!-- ENTITY DECLARATIONS -->
<!ENTITY % bodyele "(turnbrief, prepmunprep, servload)" >
<!ENTITY % m5096cl PUBLIC "-//USA-DOD//DTD MIL-M-5096E CL//EN" >
<!ENTITY % frnt "(idinfo, lep, verstat?, contents, foreword,
safesum?)" >
%m5096cl;
<!-- ELEMENT and ATTRIBUTE LIST DECLARATIONS -->
<!ELEMENT airprep -- (%titles;, prelim, (para | %spcpara;)*,
                       (step1, step1+)?) >
```

```
special NMTOKENS #IMPLIED
<!ATTLIST airprep
                    nr NMTOKENS #REQUIRED
                    tocentry %yesorno; "1"
                    shortentry %yesorno; "0"
                    verified %yesorno; "0"
                    %bodyatt;
                    %secur; >
<!ELEMENT airserv
                    -- (%titles;, prelim, (para | %spcpara;)*,
                         (step1, step1+)?) >
<!ATTLIST airserv
                    special NMTOKENS #IMPLIED
                    nr NMTOKENS #REQUIRED
                    tocentry %yesorno; "1"
                    shortentry %yesorno; "0"
                    verified %yesorno; "0"
                    %bodyatt;
                    %secur; >
<!ELEMENT authrestrict - o (%nparcon;, subpara2*) >
<!ATTLIST authrestrict tocentry %yesorno; "1"
                        shortentry %yesorno; "0"
                        verified %yesorno; "0"
                        %bodyatt;
                        %secur; >
<!ELEMENT cursinsp
                     -- (%titles;, prelim, (para | %spcpara;)*,
                          (step1, step1+)?) >
                     special NMTOKENS #IMPLIED
<!ATTLIST cursinsp
                     nr NMTOKENS #REQUIRED
                     tocentry %yesorno; "1"
                     shortentry %yesorno; "0"
                     verified %yesorno; "0"
                     %bodyatt;
                     %secur; >
<!ELEMENT docicturncl
                          -- (front, body) +(pgbrk | brk) >
<!ATTLIST docicturncl
                          service %service; 'AF'
                          %docatt;
                          %secur; >
<!ELEMENT emergproc -- (%titles;, prelim, (para | %spcpara;)*,
                          (step1, step1+)?) >
```

```
<!ATTLIST emergproc special NMTOKENS #IMPLIED
                     nr NMTOKENS #REQUIRED
                     tocentry %yesorno; "1"
                     shortentry %yesorno; "0"
                     verified %yesorno; "0"
                     %bodyatt;
                     %secur; >
<!ELEMENT finalair
                     -- (%titles;, prelim, (para | %spcpara;)*,
                          (step1, step1+)?) >
<!ATTLIST finalair
                     special NMTOKENS #IMPLIED
                     nr NMTOKENS #REQUIRED
                     tocentry %yesorno; "1"
                     shortentry %yesorno; "0"
                     verified %yesorno; "0"
                     %bodyatt;
                     %secur; >
<!ELEMENT finalcp
                    -- (%titles;, prelim, (para | %spcpara;)*,
                         (step1, step1+)?) >
<!ATTLIST finalcp
                    special NMTOKENS #IMPLIED
                    nr NMTOKENS #REQUIRED
                    tocentry %yesorno; "1"
                    shortentry %yesorno; "0"
                    verified %yesorno; "0"
                    %bodyatt;
                    %secur; >
<!ELEMENT gensafreq
                      -- (%titles;, prelim, (para |
                            %spcpara;)*, (step1, step1+)?) >
<!ATTLIST gensafreq
                       special NMTOKENS #IMPLIED
                       nr NMTOKENS #REQUIRED
                       tocentry %yesorno; "1"
                       shortentry %yesorno; "0"
                       verified %yesorno; "0"
                       %bodyatt;
                       %secur; >
                     -- (%titles;, prelim, (para | %spcpara;)*,
<!ELEMENT gunload
                          (step1, step1+)?) >
<!ATTLIST gunload
                     special NMTOKENS #IMPLIED
                     nr NMTOKENS #REQUIRED
                     tocentry %yesorno; "1"
                     shortentry %yesorno; "0"
                     verified %yesorno; "0"
                     %bodyatt;
                     %secur; >
```

```
<!ELEMENT munitprep
                              (%titles;, prelim, (para
                              %spcpara;)*, (step1, step1+)?) >
<!ATTLIST munitprep
                       special NMTOKENS #IMPLIED
                       nr NMTOKENS #REQUIRED
                       tocentry %yesorno; "1"
                       shortentry %yesorno; "0"
                       verified %yesorno; "0"
                       %bodyatt;
                       %secur; >
<!ELEMENT munitunld
                      -- (%titles;, prelim, (para
                           %spcpara;)*, (step1, step1+)?) >
<!ATTLIST munitunld
                      special NMTOKENS #IMPLIED
                      nr NMTOKENS #REQUIRED
                      tocentry %yesorno; "1"
                      shortentry %yesorno; "0"
                      verified %yesorno; "0"
                      %bodyatt;
                      %secur; >
<!ELEMENT prepmunprep
                        - -
                             (%titles;, scope, gensafreq,
                              emergproc, suppequip, preposinsp,
                              munitprep) +(figure | table |
                              foldout) >
<!ATTLIST prepmunprep
                          tocentry %yesorno; "1"
                          shortentry %yesorno; "0"
                          %bodyatt;
                          %secur; >
<!ELEMENT preposinsp
                       -- (%titles;, prelim, (para
                            %spcpara;)*, (step1, step1+)?) >
<!ATTLIST preposinsp
                       special NMTOKENS #IMPLIED
                       nr NMTOKENS #REQUIRED
                       tocentry %yesorno; "1"
                       shortentry %yesorno; "0"
                       verified %yesorno; "0"
                       %bodyatt;
                       %secur; >
<!ELEMENT priorlnch
                      -- (%titles;, prelim, (para
                           %spcpara;)*, (step1, step1+)?) >
<!ATTLIST priorlnch
                      special NMTOKENS #IMPLIED
                      nr NMTOKENS #REQUIRED
                      tocentry %yesorno; "1"
                      shortentry %yesorno; "0"
                      verified %yesorno; "0"
                      %bodyatt;
                      %secur; >
```

```
-- (%titles;, prelim, (para | %spcpara;)*,
<!ELEMENT scope
                     authrestrict, (step1, step1+)?) >
<!ATTLIST scope
                 special NMTOKENS #IMPLIED
                 nr NMTOKENS #REQUIRED
                 tocentry %yesorno; "1"
                 shortentry %yesorno; "0"
                 verified %yesorno; "0"
                 %secur;
                 %bodyatt; >
<!ELEMENT servload - - (%titles;, (servscope & cursinsp &
                        airprep & munitunld & gunload & finalcp
                        & airserv & finalair & priorlnch))
                         +(figure | table | foldout) >
<!ATTLIST servload
                     tocentry %yesorno; "1"
                     shortentry %yesorno; "0"
                     %bodyatt;
                     %secur; >
                     -- (%titles;, prelim, (para |
<!ELEMENT servscope
                         %spcpara;)*, (step1, step1+)?) >
<!ATTLIST servscope
                     special NMTOKENS #IMPLIED
                     nr NMTOKENS #REQUIRED
                     tocentry %yesorno; "1"
                     shortentry %yesorno; "0"
                     verified %yesorno; "0"
                     %bodyatt;
                     %secur; >
                    -- (%titles;, prelim, (para
<!ELEMENT suppequip
                         %spcpara;)*, (step1, step1+)?) >
                     special NMTOKENS #IMPLIED
<!ATTLIST suppequip
                     nr NMTOKENS #REQUIRED
                     tocentry %yesorno; "1"
                     shortentry %yesorno; "0"
                     verified %yesorno; "0"
                     %bodyatt;
                     %secur; >
                       -- (%chap;) +(figure
<!ELEMENT turnbrief
                           table | foldout) >
<!ATTLIST turnbrief
                       tocentry %yesorno; "1"
                       shortentry %yesorno; "0"
                       %bodyatt;
                       %secur; >
```